



Model: PCP1-230VAC

Pump Control Panel with Alarm Indication



FEATURES & BENEFITS

- Designed For Use with Submersible Pump
- Rugged, Weather Resistant Enclosure
- 88db Audible Piezo Horn & Red Strobe Light
- Pump & Alarm Circuit Breakers
- External "Run-Silence-Test" Switch
- 230 VAC 50/60 Hz, 1 Phase Operation
- Automatic Alarm Reset
- Wiring & Connection Diagram Included

APPLICATIONS

- Sump Pump Basins, Holding Tanks
- Water, Holding & Sewage Tanks

DESCRIPTION

Model PCP1-230VAC Pump Control Panel is designed for indoor or outdoor use with a submersible pump. The unit features a non-metallic rugged weather resistant enclosure, a red warning strobe, piezo horn, and an external "Run-Silence-Test" switch. The unit is design to provide a loud audible and visual warning to notify of an alarm condition. Circuit breakers for both pump and alarm operation are built-in to this model.

Specifications

Model No:	PCP1-230VAC
Alarm Indication:	Red Strobe, Piezo Horn: 85 dB
Operating Voltage:	Alarm - 120 VAC 50/60 Hz, Pump - 230 VAC 50/60 Hz
Alarm Reset:	Automatic
Connection:	Terminal Block
Enclosure:	UL Listed, NEMA 4X (PC/PBT) Plastic Blend
Circuit Breakers:	Pump – 20Amp, Alarm –10 Amp
Operating Temperature:	-40 to175 °F (-40 to 80 °C)
Installation:	For Indoor or Outdoor Use
Dimensions:	5.9 X 5.9 x 3.54" (150 x 150 x 90mm)



© 2013 :: Imagine Instruments LLC :: 7365 Main Street, #176 :: Stratford, CT 06614 :: p. (855)574-6243
 e-mail: info@imagineinstruments.com :: www.imagineinstruments.com

Note: Continued product improvements make specifications subject to change without notice. Check www.imagineinstruments.com for the latest product information and updates

Released: 19 April, 2013 :: Rev: A